

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/749,350	12/31/2003	Min-Young You	051876.P565	1188	
8791 7.	590 05/31/2006		EXAM	INER	
BLAKELY SOKOLOFF TAYLOR & ZAFMAN 12400 WILSHIRE BOULEVARD			PHAN, TI	PHAN, TRONG Q	
SEVENTH FL			ART UNIT	PAPER NUMBER	
LOS ANGELE	S, CA 90025-1030		2827		

DATE MAILED: 05/31/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

			1.1		
	Application No.	Applicant(s)			
	10/749,350	YOU, MIN-YOUNG			
Office Action Summary	Examiner	Art Unit			
	TRONG PHAN	2827			
The MAILING DATE of this communicati Period for Reply	on appears on the cover sheet wi	th the correspondence address			
A SHORTENED STATUTORY PERIOD FOR WHICHEVER IS LONGER, FROM THE MAIL! - Extensions of time may be available under the provisions of 37 after SIX (6) MONTHS from the mailing date of this communica. If NO period for reply is specified above, the maximum statutor. - Failure to reply within the set or extended period for reply will, be Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	NG DATE OF THIS COMMUNIC CFR 1.136(a). In no event, however, may a relation. by period will apply and will expire SIX (6) MON by statute, cause the application to become AB	CATION. eply be timely filed ITHS from the mailing date of this communication BANDONED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed or	n <u>31 December 2003</u> .				
/-	This action is FINAL . 2b) ☐ This action is non-final.				
3)⊠ Since this application is in condition for a			S		
closed in accordance with the practice u	nder <i>Ex parte Quayle</i> , 1935 C.D	. 11, 453 O.G. 213.			
Disposition of Claims					
4) ☐ Claim(s) 1-7 is/are pending in the application 4a) Of the above claim(s) is/are with 5) ☐ Claim(s) 1-7 is/are allowed. 6) ☐ Claim(s) is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction	ithdrawn from consideration.				
Application Papers					
9) The specification is objected to by the Ex 10) The drawing(s) filed on is/are: a)[Applicant may not request that any objection Replacement drawing sheet(s) including the 11) The oath or declaration is objected to by	accepted or b) objected to to the drawing(s) be held in abeyar correction is required if the drawing	nce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for f a) All b) Some * c) None of: 1. Certified copies of the priority doc 2. Certified copies of the priority doc 3. Copies of the certified copies of the application from the International * See the attached detailed Office action fo	uments have been received. uments have been received in A ne priority documents have been Bureau (PCT Rule 17.2(a)).	application No received in this National Stage			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-93) 1) Information Disclosure Statement(s) (PTO-1449 or PTO-1449)	Paper No(s	Summary (PTO-413) s)/Mail Date nformal Patent Application (PTO-152)			
Paper No(s)/Mail Date <u>08012005</u> .	6) Other:	<u>_</u> .			

Application/Control Number: 10/749,350 Page 2

Art Unit: 2827

DETAILED ACTION

Drawings

- 1. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: AD<0:13> in Fig. 1 Prior Art; AD<0:13>, BLT and BLB in Fig. 2; DELAY UNIT(tD) 740 in Fig. 3; CLK/CLKB, COMMAND and ACT in Fig. 4.

 Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
- 2. The drawings are objected to because **the word FRIST in block 580 of Fig. 2 is misspelled**. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If

Application/Control Number: 10/749,350

Art Unit: 2827

a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Page 3

3. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the plurality of memory banks each having first and second cell mats as recited in lines 2-3 of claim 1 (it should be noted that Fig. 2 of the present invention shows no memory banks but only first memory mat 500 and second memory mat 600) must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate

Application/Control Number: 10/749,350 Page 4

Art Unit: 2827

changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Allowable Subject Matter

- 4. Claims 1-7 are allowed.
- 5. The following is an examiner's statement of reasons for allowance:

The memory device comprising: a plurality of memory banks each having first and second memory mats, a data access controller for selecting a word line from the first cell mat and the second cell mats in response to the row address and a refresh signal and a bank controller for sequentially enabling the first cell mat and the second cell mat in response to a bank address and the refresh signal as recited in claims 1-7 has not been found in the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to

Art Unit: 2827

applicant's disclosure.

Hoehler, 6,956,782, Kim et al., 6,954,387, Hush, 6,930,944, Shimoyama, 6,594,189, Hwang et al., 6,590,822, and Kyung, 6,570,803.

7. This application is in condition for allowance except for the following formal matters: the objections to the drawings and the claim.

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to TRONG PHAN whose telephone number is (571) 272-1794. The examiner can normally be reached on M-F (8:30-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, AMIR ZARABIAN can be reached on (571)272-1852. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov.

Application/Control Number: 10/749,350 Page 6

Art Unit: 2827

Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

TRONG PHAN
PRIMARY EXAMINER